

L Number	Hits	Search Text	DB	Time stamp
1	2	719/310,321-328,331.cccls. and ((NP\$1 (network adj processor\$1)) with (device adj driver\$1)) and (translat\$3 convert\$3 encod\$3 decod\$3)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2004/10/25 16:00
2	11	((network adj processor\$1) NP) and driver\$1 and (control adj processor\$1)) and (module\$1 near5 driver\$1)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2004/10/25 16:02
3	40	((device adj driver\$1) with (independent with (platform OS system device\$1 (operating adj system))) and ((control network) adj processor\$1)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2004/10/25 16:04
4	11	((device adj driver\$1) with (independent with (platform OS system device\$1 (operating adj system))) and ((control network) adj processor\$1)) and 709/\$.cccls.	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2004/10/25 16:04
-	12	((network adj processor\$1) NP) same driver\$1) and (control adj processor\$1)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:04
-	161	((network adj processor\$1) NP) and driver\$1 and (control adj processor\$1)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:04
-	129	((network adj processor\$1) NP) and driver\$1 and (control adj processor\$1)) and (cross\$1platform\$1 platform\$1 dependent in\$1dependent)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:09
-	96	((((network adj processor\$1) NP) and driver\$1 and (control adj processor\$1)) and (cross\$1platform\$1 platform\$1 dependent in\$1dependent)) and (API\$1 module\$1)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:09
-	96	((((network adj processor\$1) NP) and driver\$1 and (control adj processor\$1)) and (cross\$1platform\$1 platform\$1 dependent in\$1dependent)) and (API\$1 module\$1 (software adj component\$1))	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:10
-	43	((((network adj processor\$1) NP) and driver\$1 and (control adj processor\$1)) and (cross\$1platform\$1 platform\$1 dependent in\$1dependent)) and (API\$1 module\$1 (software adj component\$1))) and ((translat\$3 convert\$3) near3 (request\$1 message\$1 data))	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:16
-	146	((network adj processor\$1) NP) and (driver\$1 near5 (module\$1 component\$1 API\$1))	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:17
-	49	((network adj processor\$1) NP) and (driver\$1 near5 (module\$1 component\$1 API\$1))) and ((dependent specific) near4 (message\$1 data request\$1))	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:18
-	24	(((network adj processor\$1) NP) and (driver\$1 near5 (module\$1 component\$1 API\$1))) and ((dependent specific) near4 (message\$1 data request\$1))) and ((in\$1dependent common) near3 (message\$1 data request\$1))	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:22
-	34	"5802278"	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:22
-	1	5802278.pn.	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:22

-	42281	(driver\$1 same (module\$1 component\$1 layer\$1 API\$1)) and ((cross\$1 multiple independent) adj s platform\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:33
-	11156	(driver\$1 near3 (module\$1 component\$1 layer\$1 API\$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:33
-	8458	((driver\$1 near3 (module\$1 component\$1 layer\$1 API\$1))) and ((cross\$1 multiple independent) adj s platform\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:33
-	3568	((driver\$1 near3 (module\$1 component\$1 layer\$1 API\$1))) and ((cross\$1 multiple independent) adj s platform\$1)) and (packet frame)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:33
-	199	((((driver\$1 near3 (module\$1 component\$1 layer\$1 API\$1))) and ((cross\$1 multiple independent) adj s platform\$1)) and (packet frame)) and ((os_platform) near3 (dependent independent))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:34
-	85	(((((driver\$1 near3 (module\$1 component\$1 layer\$1 API\$1))) and ((cross\$1 multiple independent) adj s platform\$1)) and (packet frame)) and ((os platform) near3 (dependent independent))) and ((translat\$3 convert\$3) near3 (data message\$1 request\$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/04/16 17:34
-	1350	(control adj2 processor\$1) same driver\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/18 16:44
-	4	((control adj2 processor\$1) same driver\$1) and (driver\$1 near5 independent near5 (system OS))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/18 16:41
-	5	((control adj2 processor\$1) same driver\$1) and (driver\$1 near5 independent near10 (system OS platform))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/18 16:42
-	5	((control adj2 processor\$1) same driver\$1) and (driver\$1 near5 independent near5 (system OS platform))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/18 16:42
-	30	(control adj2 processor\$1) same driver\$1 and (NP (network adj processor\$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/18 16:44
-	277	(control adj2 processor\$1) and driver\$1 and (NP (network adj processor\$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/18 16:45
-	0	((control adj2 processor\$1) and driver\$1 and (NP (network adj processor\$1))) and (driver\$1 same (module\$1 component\$1 DLL\$1))) and (driver near5 independent)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/18 16:45
-	150	(device adj driver\$1) near5 (independent near6 (platform OS system device\$1 (operating adj system)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/18 16:47
-	13	((device adj driver\$1) near5 (independent near6 (platform OS system device\$1 (operating adj system)))) and ((control network) adj processor\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/10/25 16:03
-	90	((control adj2 processor\$1) and driver\$1 and (NP (network adj processor\$1))) and (driver\$1 same (module\$1 component\$1 DLL\$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/18 17:06

-	2196	independent near5 driver\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/18 17:07
-	449	(independent near5 driver\$1) and (driver\$1 near5 (component\$1 module\$1 DLL\$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/18 17:07
-	5	((independent near5 driver\$1) and (driver\$1 near5 (component\$1 module\$1 DLL\$1))) and (driver\$1 same (control adj processor\$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/18 17:08
-	4	((independent near5 driver\$1) and (driver\$1 near5 (component\$1 module\$1 DLL\$1))) and (driver\$1 same (network adj processor\$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/18 17:09
-	0	((query\$3 access\$3) near3 ((process task) adj2 table\$1)) same ((application\$1 program\$1 browser\$1) near3 (ID info\$ identifier identity))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/19 12:52
-	26	((query\$3 access\$3) near3 ((process task) adj2 table\$1)) same (application\$1 program\$1 browser\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/19 12:47
-	50	((query\$3 access\$3) near3 ((process task) adj2 table\$1)) and ((application\$1 program\$1 browser\$1) near3 (ID info\$ identifier identity))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/19 13:01
-	2	((control network) adj2 processor\$1) and ((independent near3 system) near5 driver\$1) and ((translat\$3 convert\$3) near3 (packet\$1 message\$1 request\$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/19 13:04
-	30	((control network) adj2 processor\$1) and (independent near8 driver\$1) and ((translat\$3 convert\$3) near5 (packet\$1 message\$1 request\$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/19 13:06
-	0	((virtual adj machine) JVM VM) and ((process task) adj2 table\$1) and System\$1getProperty	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/19 16:16
-	0	((virtual adj machine) JVM VM) and System\$1getProperty	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/19 16:18
-	0	((virtual adj machine) JVM VM) and ((process task) adj2 table)) and (getProperty setProperty)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/19 16:20
-	228	((virtual adj machine) JVM VM) and ((process task) adj2 table)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/19 16:24
-	35	((virtual adj machine) JVM VM) and ((process task) adj2 table)) and (browser\$1 applet\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/19 16:24
-	1	5475851.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:10
-	1	5319645.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:11
-	1	5247693.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/20 11:11

	659	driver\$1 near5 independent near10 (platform OS system device\$1 (operating adj system))	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/08/20 17:27
	9	(driver\$1 near5 independent near10 (platform OS system device\$1 (operating adj system))) and (NP NPs (network adj processor\$1))	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/08/20 17:28
	15	((driver\$1 near5 independent near10 (platform OS system device\$1 (operating adj system))) and ((translat\$3 convert\$3) near5 (message\$1 request\$1 info\$ data) same common)) and heterogeneous	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/08/20 17:30
	32	(driver\$1 near5 independent near10 (platform OS system device\$1 (operating adj system))) and ((translat\$3 convert\$3) near5 (message\$1 request\$1 info\$ data) same common)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/08/20 17:41
	29	((driver\$1 near5 independent near10 (platform OS system device\$1 (operating adj system))) and (translat\$3 convert\$3) near5 (message\$1 request\$1 info\$ data)) and (network packet\$1 message\$1)) and heterogeneous	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/08/20 17:42
	44	((driver\$1 near5 independent near10 (platform OS system device\$1 (operating adj system))) and (translat\$3 convert\$3) near5 (message\$1 request\$1 info\$ data)) and ((network control) adj2 processor\$1)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/08/20 17:44
	176	((driver\$1 near5 independent near10 (platform OS system device\$1 (operating adj system))) and (translat\$3 convert\$3) near5 (message\$1 request\$1 info\$ data)) and (network packet\$1 message\$1)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/08/20 17:48
	224	(driver\$1 near5 independent near10 (platform OS system device\$1 (operating adj system))) and (translat\$3 convert\$3) near5 (message\$1 request\$1 info\$ data)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/08/20 17:48
	143	((driver\$1 near5 independent near10 (platform OS system device\$1 (operating adj system))) and (translat\$3 convert\$3) near5 (message\$1 request\$1 info\$ data)) and (device adj driver\$1)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/08/20 17:49
	356	709/310,321-327.cccls. and (device adj driver\$1)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/08/21 09:45
	67	(709/310,321-327.cccls. and (device adj driver\$1)) and ((system OS) near3 independent)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/08/21 09:45
	36	((709/310,321-327.cccls. and (device adj driver\$1)) and ((system OS) near3 independent)) and ((translat\$3 convert\$3) near4 (message\$1 packet\$1 data\$1 request\$1 response\$1))	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/08/21 09:47
	37	((709/310,321-327.cccls. and (device adj driver\$1)) and ((system OS) near3 independent)) and ((translat\$3 convert\$3 encod\$3 decod\$3) near4 (message\$1 packet\$1 data\$1 request\$1 response\$1))	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/08/21 10:17
	10	(709/310,321-327.cccls. and (device adj driver\$1)) and ((translat\$3 convert\$3 encod\$3 decod\$3) near4 packet\$1)	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2004/10/25 15:58
	0	(NP NPs (network adj processor\$1)) and (control adj processor\$1) and (driver\$1 near5 independent near8 (OS system\$1 platform\$1))	USPAT; US_PGPUB; EPO; JPO; IBM_TDB	2003/08/21 10:41

-	1	(NP NPs (network adj processor\$1)) and (control adj processor\$1) and (driver\$1 same (independent near8 (OS system\$1 platform\$1)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/21 10:40
-	1	(NP NPs (network adj processor\$1)) and (control adj processor\$1) and driver\$1 same (independent near8 (OS system\$1 platform\$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/21 10:40
-	1	(NP NPs (network adj processor\$1)) and (driver\$1 near5 independent near8 (OS system\$1 platform\$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/21 10:41
-	18	(NP NPs (network adj processor\$1)) and (driver\$1 same independent near8 (OS system\$1 platform\$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/21 10:41
-	165	(network adj processor\$1) and ((translat\$3 convert\$3 conversion) near3 packet\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/21 11:52
-	14	((network adj processor\$1) and ((translat\$3 convert\$3 conversion) near3 packet\$1)) and (device adj driver\$1) and (independent same (system\$1 platform\$1 OS))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/21 11:53
-	31	((network adj processor\$1) and ((translat\$3 convert\$3 conversion) near3 packet\$1)) and (device adj driver\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/21 11:53
-	262	((network adj processor\$1) NP) same driver\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/24 13:17
-	94	((network adj processor\$1) NP) and (driver\$1 near5 (module\$1 component\$1 API\$1))) and dependent and in\$1dependent	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/24 13:25
-	0	719/321-327	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/24 13:26
-	537	719/321-327.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/24 13:26
-	2	719/321-327.ccls. and ((network adj processor\$1) NP) same driver\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/24 13:26
-	8	719/321-327.ccls. and ((network adj processor\$1) NP) and driver\$1	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/24 14:11
-	1	6604136.pn. and (OS (operating adj system)) and (software adj2 stack\$1)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/24 16:52
-	0	6604136.pn. and (fabric)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/24 16:52